

**RAILROAD COMMISSION OF TEXAS
HEARINGS DIVISION**

OIL & GAS DOCKET NO. 20-0284627

IN RE: P-5 ORGANIZATION REPORT OF WILSON, VERN ENERGY INC.

FINAL ORDER

The Commission finds that after notice and an opportunity for hearing regarding the captioned matter, the Operator failed to request a hearing and pay the hearing fee as required by 16 TEX. ADMIN. CODE §3.15(g)(4) and TEX. NAT. RES. CODE §89.022(f). This matter having been duly submitted to the Railroad Commission of Texas at conference held in its offices in Austin, Texas, the Commission makes the following findings of fact and conclusions of law.

FINDINGS OF FACT

1. Wilson, Vern Energy Inc. [Operator #937060] (the "Operator"), is the record operator or one or more inactive wells in the State of Texas and is required to file Organization Report (Form P-5) with the Commission. Operator's most recent P-5 was due on or before May 1, 2013.
2. After filing its most recent Organization Report (Form P-5) with the Commission, the Operator was notified they were deficient and had failed to comply with the requirements of 16 TEX. ADMIN. CODE § 3.15 (Surface Equipment Removal Requirements and Inactive Wells) and provided with a written statement of the reasons for the determination and allowed ninety (90) days from the date its P-5 was due to comply with the requirements of 16 TEX. ADMIN. CODE § 3.15 and TEX. NAT. RES. CODE §§89.021 - 89.030.
3. After the expiration of ninety (90) days and pursuant to 16 TEX. ADMIN CODE §3.15(g)(4), an authorized Commission employee determined that the Operator's Organization Report still could not be renewed because the Operator continued to fail to comply with the requirements of 16 TEX. ADMIN. CODE §3.15 (Surface Equipment Removal Requirements and Inactive Wells).
4. The Commission sent the Operator a letter by certified mail giving notice to the Operator of the determination of continued non-compliance regarding specified inactive wells, attached as Exhibit A to this order, and advising the Operator of the right to request a hearing to show compliance. The letter notified the Operator that the hearing request must be received in docket services no later than 30 days after the date of the letter. The letter also notified the Operator that a final order denying renewal of the Operator's Organization Report (Form P-5) would result in the cancellation of all P-4 Certificates of Compliance and the severance of all pipeline or other carrier connections.

5. All notices and letters from the Commission to the Operator on this matter were addressed and mailed to the Operator's most recently reported address on the Form P-5 Organization Report.
6. The Operator did not timely request a hearing and pay the hearing fee on these issues as required under 16 TEX. ADMIN. CODE §3.15(g)(4) (Surface Equipment Removal Requirements and Inactive Wells).
7. Statewide Rule 15 (16 TEX. ADMIN. CODE §3.15) is a Commission rule that relates to safety or the prevention or control of pollution.

CONCLUSIONS OF LAW

1. The Operator received proper notice and an opportunity for hearing regarding compliance with 16 Tex. Admin. Code §3.15 and Tex. Nat. Res. Code §§89.021 - 89.030.
2. All things necessary to the Commission attaining jurisdiction over the subject matter and the parties in this matter have been performed or have occurred.
3. The Operator is in violation of Commission Statewide Rule 15 and did not timely request a hearing to contest the determination that it was in violation.
4. The Operator's P-5 Organization Report should not be renewed and all of the Operator's P-4 Certificates of Compliance should be cancelled, with all related pipeline or other carrier connections severed. 16 Tex. Admin. Code §3.15 (g)(4) and Tex. Nat. Res. Code §§89.022(f), 91.704 - 91.706.
5. The Operator's P-5 Organization Report cannot be renewed until the operator brings the inactive wells shown on the attached Exhibit A into compliance with the requirements of 16 Tex. Admin. Code §3.15 and Tex. Nat. Res. Code §§89.021 - 89.030.

IT IS ORDERED that renewal of Wilson, Vern Energy Inc.'s P-5 Organization Report is hereby **DENIED**.

It is further ORDERED that all P-4 Certificates of Compliance issued to Wilson, Vern Energy Inc. as operator of record are hereby **CANCELLED** and all related pipeline or other carrier connections are hereby **SEVERED**.

It is further ORDERED that Wilson, Vern Energy Inc. shall bring the wells on Exhibit A into compliance with Statewide Rule 15 (16 TEX. ADMIN. CODE §3.15) and that the Operator's P-5 Organization Report shall not be renewed until the wells on Exhibit A have been brought into compliance as required by this order.

It is further ORDERED that Wilson, Vern Energy Inc. and each person who held a position of ownership or control in the Operator at the time the Operator's most-recent P-5 Organization Report was filed shall be subject to the terms of TEX. NAT. RES. CODE §91.114.

It is further ORDERED by the Commission that this order shall not be final and effective until 20 days after a party is notified of the Commission's order. A party is presumed to have been notified of the Commission's order three days after the date on which the notice is actually mailed. If a timely motion for rehearing is filed by any party at interest, this order shall not become final and effective until such motion is overruled, or if such motion is granted, this order shall be subject to further action by the Commission. Pursuant to TEX. GOV'T. CODE §2001.146(e), the time allotted for Commission action on a motion for rehearing in this case prior to its being overruled by operation of law, is hereby extended until 90 days from the date the parties are notified of the order.

All requested Findings of Fact and Conclusions of Law which are not expressly adopted herein are **DENIED**. All pending motions and request for relief not previously granted or granted herein are **DENIED**.

RAILROAD COMMISSION OF TEXAS

(Signatures affixed by Rule 15 Inactive Well
Master Order dated October 1, 2013.)

API Number	District	ID Number	Lease Name	Well Number
349 00464	05	00129	SLOAN, LAURA	11
			Electricity must be disconnected (certify on Form W-3C)	
			Surface equipment must be removed (certify on Form W-3C)	
349 20111	05	01386	BURKE, J. O. -A-	4RR
			Electricity must be disconnected (certify on Form W-3C)	
			Surface equipment must be removed (certify on Form W-3C)	
349 33763	05	00215	BURKE, J. O.	6
			Electricity must be disconnected (certify on Form W-3C)	
			Surface equipment must be removed (certify on Form W-3C)	
			Must resolve Field Operations H-15 failure preventing 14(B)(2) approval	
349 33788	05	00215	BURKE, J. O.	7
			Electricity must be disconnected (certify on Form W-3C)	
			Surface equipment must be removed (certify on Form W-3C)	
349 33963	05	01386	BURKE, J. O. -A-	5
			Electricity must be disconnected (certify on Form W-3C)	
			Surface equipment must be removed (certify on Form W-3C)	
349 33964	05	01386	BURKE, J. O. -A-	6I
			Electricity must be disconnected (certify on Form W-3C)	
			Surface equipment must be removed (certify on Form W-3C)	
349 33965	05	01386	BURKE, J. O. -A-	6
			Electricity must be disconnected (certify on Form W-3C)	
			Surface equipment must be removed (certify on Form W-3C)	
349 33968	05	01714	BURKE-CHURCH UNIT	18
			Electricity must be disconnected (certify on Form W-3C)	
			Surface equipment must be removed (certify on Form W-3C)	
349 33969	05	01714	BURKE-CHURCH UNIT	19
			Electricity must be disconnected (certify on Form W-3C)	
			Surface equipment must be removed (certify on Form W-3C)	
349 33971	05	01714	BURKE-CHURCH UNIT	20
			Electricity must be disconnected (certify on Form W-3C)	
			Surface equipment must be removed (certify on Form W-3C)	
349 34765	05	01712	KENNER-MONCRIEF UNIT	10AI
			Electricity must be disconnected (certify on Form W-3C)	
349 34766	05	01712	KENNER-MONCRIEF UNIT	3AI
			Electricity must be disconnected (certify on Form W-3C)	
349 34767	05	01712	KENNER-MONCRIEF UNIT	1AI
			Electricity must be disconnected (certify on Form W-3C)	
349 34768	05	01712	KENNER-MONCRIEF UNIT	7AI
			Electricity must be disconnected (certify on Form W-3C)	
349 34770	05	01712	KENNER-MONCRIEF UNIT	5AI
			Electricity must be disconnected (certify on Form W-3C)	

Docket No. 20-0284627

Exhibit A

API Number	District	ID Number	Lease Name	Well Number
349 34787	05	01712	KENNER-MONCRIEF UNIT Electricity must be disconnected (certify on Form W-3C)	12P
349 34788	05	01712	KENNER-MONCRIEF UNIT Electricity must be disconnected (certify on Form W-3C)	6AI
349 34794	05	01712	KENNER-MONCRIEF UNIT Electricity must be disconnected (certify on Form W-3C)	2P
349 34798	05	01712	KENNER-MONCRIEF UNIT Electricity must be disconnected (certify on Form W-3C)	6P
349 80065	05	00125	CHURCH Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C) Must resolve Field Operations H-15 delinquency preventing 14B2 approval	1R
349 80068	05	00125	CHURCH Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C) Must resolve Field Operations H-15 delinquency preventing 14B2 approval	5
349 80077	05	00129	SLOAN, LAURA Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C) Must resolve Field Operations H-15 failure preventing 14(B)(2) approval	6
349 80079	05	00129	SLOAN, LAURA Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	7
349 80081	05	00129	SLOAN, LAURA Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	8
349 80083	05	00129	SLOAN, LAURA Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	9
349 80084	05	00129	SLOAN, LAURA Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	10
349 80249	05	00191	KENNER, W. N. Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C) Must resolve Field Operations H-15 delinquency preventing 14B2 approval	3I
349 80259	05	00191	KENNER, W. N. Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C) Must resolve Field Operations H-15 delinquency preventing 14B2 approval	13I
349 80263	05	00191	KENNER, W. N. Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	20

Docket No. 20-0284627

Exhibit A

API Number	District	ID Number	Lease Name	Well Number
349 82328	05	01386	BURKE, J. O. -A- Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	1R
349 82329	05	01386	BURKE, J. O. -A- Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	1W
349 82332	05	01386	BURKE, J. O. -A- Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	2R
349 82334	05	01386	BURKE, J. O. -A- Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	3R
349 82827	05	01712	KENNER-MONCRIEF UNIT Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	1
349 82840	05	01714	BURKE-CHURCH UNIT Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C) Must resolve Field Operations H-15 delinquency preventing 14B2 approval	2I
349 82841	05	01714	BURKE-CHURCH UNIT Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C) Must resolve Field Operations H-15 delinquency preventing 14B2 approval	3I
349 82848	05	01714	BURKE-CHURCH UNIT Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	10
349 82850	05	01714	BURKE-CHURCH UNIT Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	12
349 82851	05	01714	BURKE-CHURCH UNIT Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	13
349 82852	05	01714	BURKE-CHURCH UNIT Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	14
349 82855	05	01714	BURKE-CHURCH UNIT Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C) Must resolve Field Operations H-15 delinquency preventing 14B2 approval	17
349 83681	05	00215	BURKE, J. O. Electricity must be disconnected (certify on Form W-3C) Surface equipment must be removed (certify on Form W-3C)	4

Docket No. 20-0284627

Exhibit A

API Number	District	ID Number	Lease Name	Well Number
349 83682	05	00215	BURKE, J. O.	5
Electricity must be disconnected (certify on Form W-3C)				
Surface equipment must be removed (certify on Form W-3C)				

Docket No. 20-0284627

Exhibit A